



SEQUENCE LISTING

<110> Brenner, Sydney

<120> Compositions for Sorting Polynucleotides

<130> 802-04RE (55525-8029.US07)

<140> US 09/366,081

<141> 1999-08-02

<150> US 08/484,712

<151> 1995-06-07

<150> US 08/358,810

<151> 1994-12-19

<150> US 08/322,348

<151> 1994-10-13

<160> 19

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

<223> Segment of vector

<400> 1

gaggatgcct ttatggatcc actcgagatc ccaatcca

38

<210> 2

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Adaptor

<400> 2

aattcggatg atgcatgcat cgaccc

26

<210> 3

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> Adaptor

<400> 3

tcgagtcatc cgat

14

<210> 4

<211> 39
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Tag complement linked to solid phase support

 <221> misc_feature
 <222> (1)...(39)
 <223> n = A,T,C or G

 <400> 4
 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnntgg 39

 <210> 5
 <211> 66
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <221> misc_feature
 <222> (1)...(66)
 <223> n = A,T,C or G

 <400> 5
 ctagtcgacc annnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnttt tttttttttt 60
 tttttt 66

 <210> 6
 <211> 11
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <221> misc_feature
 <222> (1)...(11)
 <223> n = A,T,C or G

 <400> 6
 nrrgatcynn n 11

 <210> 7
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Adaptor

 <400> 7
 gggtcgatgc atgcatcatc cg 22

 <210> 8
 <211> 10
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Adaptor

 <400> 8
 atcggatgac 10

 <210> 9
 <211> 43
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Adaptor containing oligonucleotide tag

 <400> 9
 tcgaccgatt tgattagatt tggtaaagta atgtaaagga tta 43

 <210> 10
 <211> 43
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Adaptor containing oligonucleotide tag

 <400> 10
 tcgaccagta atgtaaagga tttgatagta tttgtgatga tta 43

 <210> 11
 <211> 16
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Adaptor

 <400> 11
 atcggatgac atcaac 16

 <210> 12
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mixed Probe

 <221> misc_feature
 <222> (1)...(20)
 <223> n = A,T,C or G

 <400> 12
 nnnagttgat gtcacccgat 20

 <210> 13
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Mixed Probe

 <221> misc_feature
 <222> (1)...(20)
 <223> n = A,T,C or G

 <400> 13
 nnncggttgat gtcacccgat 20

 <210> 14
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mixed Probe

 <221> misc_feature
 <222> (1)...(20)
 <223> n = A,T,C or G

 <400> 14
 nnnnggttgat gtcacccgat 20

 <210> 15
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Mixed Probe

 <221> misc_feature
 <222> (1)...(20)
 <223> n = A,T,C or G

 <400> 15
 nnntgttgat gtcacccgat 20

 <210> 16
 <211> 37
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> synthetic target polynucleotide probe complex

 <221> misc_feature
 <222> (1)...(37)
 <223> n = A,T,C or G

 <400> 16
 nnnnnggatg nnnnnnnnnn nnntnnnnnn nnnnnnn 37

 <210> 17
 <211> 43
 <212> DNA
 <213> Artificial Sequence

<220>
<223> Adaptor containing oligonucleotide tag

<400> 17
tcgacctaga tgatgattga ttgtaaaaag aaagtttggt tga

43

<210> 18
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> Adaptor containing oligonucleotide tag

<221> misc_feature
<222> (1)...(42)
<223> n = A,T,C or G

<400> 18
gggcnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn na

42

<210> 19
<211> 62
<212> DNA
<213> Artificial Sequence

<220>
<223> DNA fragment containing oligonucleotide tag

<221> misc_feature
<222> (1)...(62)
<223> n = A,T,C or G

<400> 19
rcgaccannn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnntttttt tttttttttt
tt

60
62